

5 LED Rope Lights

ریسه‌ها





Neon Flex



Mini Neon Flexi



Neo-Neon

Production Code	Neon Flex	Mini Neon Flex
Voltage	220V	220V
Light Source	3528 SMD	3528 SMD
Cutting Unit	1M	1M(Red & Amber 1.5M)
Power(W/M)	4.8	4.8
LED Color	WW- DL- Red- Green- Blue- Amber	WW- DL- Red- Green- Blue- Amber
Roll	50M	50M
IP	65	65

Applications:

Home, architectural decorative, border, contouring and cove lighting, hotel, restaurant, entertainment places, Cinema, theatre, museum, gallery, libraries, auditoriums, monuments




SMD-2835-12V



SMD-3528-12V


SMD-3528-220V



Production Code	SH-2835-12V	SH-3528-220V	SH-3528-12V
Voltage	12V	220V	12V
Lumen(Lm/M)	710	130	130
CRI	≥75	≥75	≥75
Power(W/M)	12	2.82	3
LED Color	WW-DL-Red-Green-Blue-Amber-RGB	WW-DL-Red-Green-Blue-Amber	WW-DL-Red-Green-Blue-Amber-RGB
Roll	5M	5M	5M
IP	64	65	64

Applications:

Home, architectural decorative, border, contouring and cove lighting, hotel, restaurant, entertainment places, Cinema, theatre, museum, gallery, libraries, auditoriums, monuments



SMD-5050-12V
SMD-5050-220V


Production Code	SH-5050-12V	SH-5050-220V
Voltage	12V	220V
Lumen(Lm/M)	330	330
CRI	≥75	≥75
Power(W/M)	8	7.7
LED Color	WW- DL- Red- Green- Blue- Amber- RGB	WW- DL
Length	5M	50M
IP	64	65

KQ3CH-045


Production Code	KQ3CH-045
Voltage	DC12V → 144W DC24V → 288W
Output Current	4A x 3

