

# 11 Street Lights

چراغ‌های خیابانی







SH-7130-30W

SH-7150-50W



Production Code	SH-7130-30W	SH-7150-50W
Voltage	AC85-265V	AC85-265V
Watt	30W	50W
Frequency Range	50-60Hz	50-60Hz
Power Factor	>0.95	>0.95
Color Temperature	2700-6500	2700-6500
Efficiency	Ra>70	Ra>70
Lifespan	50000 hrs	50000 hrs
Beam Angle	110°	110°
Lumen	2100Lm	3500Lm
Working Ambient Temperature	-25°~50°	-25°~50°
Working Ambient Humidity	10%~90%	10%~90%
Body Material	Aluminum Die Cast	Aluminum Die Cast

- Heat Resistant
- Tempered Glass
- Anti Corrosion






**SH-7250-100W**



Production Code	SH-7250-100W
Voltage	AC85-265V
Watt	100W
Frequency Range	50-60Hz
Power Factor	>0.95
Color Temperature	2700-6500
Efficiency	Ra>70
Lifespan	50000 hrs
Beam Angle	110°
Lumen	7000Lm
Working Ambient Temperature	-25°~50°
Working Ambient Humidity	10%~90%
Body Material	Aluminum Die Cast

- Heat Resistant
- Tempered Glass
- Anti Corrosion







SH-7350-150W



Production Code	SH-7350-150W
Voltage	AC85-265V
Watt	150W
Frequency Range	50-60Hz
Power Factor	>0.95
Color Temperature	2700-6500
Efficiency	Ra>70
Lifespan	50000 hrs
Beam Angle	110°
Lumen	10500Lm
Working Ambient Temperature	-25°~50°
Working Ambient Humidity	10%~90%
Body Material	Aluminum Die Cast

- Heat Resistant
- Tempered Glass
- Anti Corrosion









## SH-LX-UFO



Production Code	SH-LX-2xE27	SH-LX-RX7s	SH-LX-G12	SH-LX-LED
Voltage	220	220	220	220
Watt	2x25W Max.	70W-150W	70W-150W	40W
Base	2xE27	RX7s	G12	-
Lamp	CFL	MH- HPS	Metal Halide	Power LED
Body Color	White, Black, Gray	White, Black, Gray	White, Black, Gray	White, Black, Gray
Material	Aluminum	Aluminum	Aluminum	Aluminum
LED Color	-	-	-	WW, DL, CL
IP	65	65	65	65


### Applications:

#### Large areas:

Parking Grounds, facades, common areas, loading and unloading areas

#### Streets:

Secondary roads, low traffic streets, minor road, industrial areas, shopping streets




**SH-125**



Production Code	SH-125-70-HPS	SH-125-MV	SH-125-160-MB
Voltage	220V	220V	220V
Watt	70W	125W	160W
Base	E27	E27	E27
Lamp	High Pressure Sodium	Mercury Vapour	Mercury Tungsten
Body Color	White, Black, Gray	White, Black, Gray	White, Black, Gray
Material	Aluminum	Aluminum	Aluminum
IP	55	55	55

**Applications:**

- Large areas:**  
 Parking Grounds, facades, common areas, loading and unloading areas
- Streets:**  
 Secondary roads, low traffic streets, minor road, industrial areas, shopping streets







SH-400SL

SH-250SL

Production Code	SH-250SL-HPS	SH-250SL-MH	SH-400SL-HPS	SH-400SL-MH	SH-400SL-MV
Voltage	220V	220V	220V	220V	220V
Watt	250W	250W	400W	400W	250W-400W
Base	E40	E40	E40	E40	E40
Lamp	High Pressure Sodium	Metal Halide	High Pressure Sodium	Metal Halide	Mercury Vapour
Body Color	White, Black, Gray	White, Black, Gray	White, Black, Gray	White, Black, Gray	White, Black, Gray
Material	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
IP	66	66	66	66	66


### Applications:

#### Large areas:

Parking Grounds, facades, common areas, loading and unloading areas

#### Streets:

Secondary roads, low traffic streets, minor road, industrial areas, shopping streets





**SH-4012**



Production Code	SH-4012-250-HPS	SH-4012-250-MH	SH-4012-400-HPS	SH-4012-400-MH	SH-4012-400-MV
Voltage	220V	220V	220V	220V	220V
Watt	250W	250W	400W	400W	250-400W
Base	E40	E40	E40	E40	E40
Lamp	High Pressure Sodium	Metal Halide	High Pressure Sodium	Metal Halide	Mercury Vapour
Body Color	White, Black, Gray	White, Black, Gray	White, Black, Gray	White, Black, Gray	White, Black, Gray
Material	Steel Sheet	Steel Sheet	Steel Sheet	Steel Sheet	Steel Sheet
IP	54	54	54	54	54

**Applications:**

**Large areas:**  
 Parking Grounds, facades, common areas, loading and unloading areas

**Streets:**  
 Secondary roads, low traffic streets, minor road, industrial areas, shopping streets

